

Safety Data Sheet

Page: 1 / 5
Issue date: 18/10/2006
Number: 4166E, SW

1. Identification of the substance/preparation and the company/undertaking

Product name: SYLVABLEND™ PF 60

Company : Arizona Chemical AB
P.O. Box 66
SE-820 22 Sandarne, Sweden
Tel: +46 270 625 00, Fax: +46 270 601 00

Emergency Tel : +44 1865 407 333

Intended use: Fuel and/or Chemical intermediate used for manufacture of products.

2. Composition/Information on ingredients

Composition: Blend of Tall Oil, Tall Oil Pitch

Chemical name	CAS no.	EINECS no.	Symbol	R-phrases	%WT
Tall Oil Rosin. Under TSCA	8052-10-6 8050-09-7	232-484-6	X _i	43	1 - 22
Blend of Tall Oil, Tall Oil Pitch					> 78

3. Hazards Identification

Effects of (over)exposure: May cause sensitization by skin contact. On heating, this product may generate fumes that irritate the eye and may cause respiratory irritation with throat discomfort, coughing, or difficulty breathing.

Symptoms of (over)exposure

- **Inhalation:** On heating, this product may generate fumes that irritate the eye and may cause respiratory irritation with throat discomfort, coughing, or difficulty breathing.
- **Skin contact:** May cause sensitization by skin contact
- **Eye contact:** May cause some irritation.
- **Ingestion:** May cause some irritation.

4. First-Aid Measures

Skin contact: Wash with soap and water

Eye contact: Rinse immediately with plenty of water.

Ingestion: Rinse mouth with water.

Product name: SYLVABLEND™ PF 60

5. Fire-Fighting Measures

Extinguishing media

- **Suitable:** Powder, carbon dioxide, foam, watermist (only large amounts)

Hazardous thermal decomposition and combustion products

- In case of fire toxic fumes will be formed

Protection of firefighters

- Wear protective clothing and use self-contained breathing apparatus

6. Accidental Release Measures

Personal precautions: Put on adequate protective equipment

Environmental precautions: Keep away from drains, surface-water, ground-water and soil

Methods for cleaning up: Collect as much as possible in a clean container for disposal. Disposal according to local regulations

7. Handling and Storage

Handling: Avoid contact with skin and eyes. Can self-ignite when soaked into porous material (eg. rags, textiles, insulations, inorganic materials....).

Storage: Keep in a cool, well-ventilated place. Can self-ignite when soaked into porous material (eg. rags, textiles, insulations, inorganic materials....).

8. Exposure Controls/Personal Protection

Chemical name	TLV*		MAC**		R-phrases
	ppm	mg/m ³	ppm	mg/m ³	
Tall Oil Rosin. Under TSCA					43
Not applicable					

*) ACGIH 1995-1996

**) The Netherlands-1995

Respiratory protection: Suitable respiratory equipment in case of insufficient ventilation. Filter type: P2

Hand protection: Protective gloves.

Eye protection: Safety goggles.

Skin and body protection: Suitable protective clothing.

Product name: **SYLVABLEND™ PF 60**

Page: 3 / 5

Issue date: 18/10/2006

Number: 4166E, SW

9. Physical and Chemical Properties

- **Appearance** highly viscous liquid
- **Autoignition temperature** No data available
- **Boiling point** No data available
- **Colour** Amber to dark brown
- **Flash point** > 100 °C
- **Melting range** 10 - 25 °C
- **Odour** Repulsive
- **Log P_{ow}** No data available
- **pH**
- **Density** 1000 kg/m³ (20°C)
- **Solubility in water** Not
- **Vapour pressure** 0.5 kPa (200 °C)
- **Viscosity** < 600 Cst (50 °C)

10. Stability and Reactivity

- Conditions to avoid:** Excessive heating. Can self-ignite when soaked into porous material (eg. rags, textiles, insulations, inorganic materials....).
- Materials to avoid:** Acids. Bases.
- Hazardous decomposition products:** carbon dioxide, carbon oxides

11. Toxicological Information

Routes of exposure

- **Inhalation:** On heating, this product may generate fumes that irritate the eye and may cause respiratory irritation with throat discomfort, coughing, or difficulty breathing.
- **Skin contact:** Skin contact may cause an allergic response
- **Eye contact:** May cause some irritation.
- **Ingestion:** May cause some irritation.

Product name: **SYLVABLEND™ PF 60**

Page: 4 / 5

Issue date: 18/10/2006

Number: 4166E, SW

12. Ecological Information

Mobility: Not known

13. Disposal Considerations

Methods of disposal: Take local authorities advice with handling of waste. Do NOT discharge into drains. Care should in any case be taken to ensure compliance with EC, national and local regulations.

Danger(s): Can self-ignite when soaked into porous material (eg. rags, textiles, insulations, inorganic materials....).

14. Transport Information**Classification**

- Not classified

15. Regulatory Information

EU classification Irritant Xi, R43 May cause sensitization by skin contact

-

- **Contains:** Rosin



Xi

Risk-phrases: 43 May cause sensitization by skin contact

Safety-phrases: 24/25 Avoid contact with skin and eyes
37/39 Wear suitable gloves and eye/face protection

Product name: **SYLVABLEND™ PF 60**

Page: 5 / 5

Issue date: 18/10/2006

Number: 4166E, SW

16. Other Information

Correction Chapter revised: 2. Composition/Information on ingredients; 3. Hazards Identification; 11. Toxicological Information; 15. Regulatory Information

Date of preparation: 2006 - 10 - 18

Replaces SDS dated:

Framer: Product Regulatory Affairs
DR Fredrik Hopfgarten
ARIZONA CHEMICAL, P.O. BOX 66, S-820 22 SANDARNE, SWEDEN
Telephone: +46 (0)270 625 00, Telefax: +46 (0)270 625 40

The information of this SDS is based on the present state of our knowledge and on current EC and national laws. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. Although data in this SDS are based on information of this moment and are believed reliable, we cannot assume any responsibility for the use thereof, nor do we accept any liability for loss or damages directly or indirectly caused by our product. The user is held to check the safety, quality and all other properties of this product prior to use.
This SDS has been compiled in a format that conforms with EC directive 2001/58/EC