

SAFETY DATA SHEET

SYLVATAC™ RE 12, melt, Bulk

Revision 0
Revision date

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name SYLVATAC™ RE 12, melt, Bulk
Company Arizona Chemical Oy
P.O. Box 165
FIN-90101 Oulu
Finland
fredrik.hopfgarten@azchem.com
Telephone +358 40 341 3300
Fax +358 40 341 3301
Emergency telephone number +44 1865 407 333
Product code 1805E; L

2 HAZARDS IDENTIFICATION.

Main hazards No Significant Hazard

3 . COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Rosin ester	100%			

4. FIRST AID MEASURES

Skin contact May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact May cause irritation to eyes. Contact lenses should be removed. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Inhalation May cause irritation to mucous membranes. Move the exposed person to fresh air.

Ingestion May cause irritation to respiratory system. Ingestion may cause nausea and vomiting. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions. Use as appropriate: carbon dioxide (CO2). Foam. Water spray.

Fire hazards Burning produces irritating, toxic and obnoxious fumes.

Protective equipment Wear suitable respiratory equipment when necessary.

SYLVATAC™ RE 12, melt, Bulk

Revision 0
Revision date

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
Environmental precautions	Do not allow product to enter drains. Prevent further spillage if safe.
Clean up methods	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Keep away from heat. Keep away from sources of ignition - No smoking.
Storage	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Keep away from heat. Keep away from sources of ignition - No smoking. Keep away from direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures	Ensure adequate ventilation of the working area.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection	Chemical resistant gloves (PVC)
Eye protection	In case of splashing, wear: Approved safety goggles.
Protective equipment	Wear protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Liquid.
Colour	Amber.
Odour	Mild.
Boiling point	>200°C
Vapour pressure	< 0.001 mm Hg @20° C
Relative density	1050 kg/m ³ @ 25° C
Water solubility	<0.1%.
Viscosity	Cone & Plate - 459 mPa.s @60° C
Melting point	<20°C

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Conditions to avoid	Direct sunlight. Heat.
Materials to avoid	Oxidising agents.

11. TOXICOLOGICAL INFORMATION

Acute toxicity	May cause irritation to respiratory system.
Corrosivity	May cause irritation to eyes. May cause irritation to skin.
Sensitization	No sensitization effects reported.

12. ECOLOGICAL INFORMATION

Mobility	No known adverse environmental effects.
Degradability	Readily biodegradable.

SYLVATAC™ RE 12, melt, BulkRevision 0
Revision date**13. DISPOSAL CONSIDERATIONS**

General information Dispose of in compliance with all local and national regulations. Can be incinerated if in compliance with local and national regulations.

14. TRANSPORT INFORMATION**ADR/RID**

UN 3257	Packing group III
Class 9	Hazard ID 99
Proper Shipping Name ELEVATED TEMPERATURE LIQUID, N.O.S, (Rosin Ester).	

IMDG

UN 3257	Packing group III
Class 9	Marine pollutant .
EmS Code F-A S-P	

IATA

UN 3257	Packing group III
Class 9	Subsidiary risk -
Packing Instruction (Cargo) FORBIDDEN	Maximum quantity FORBIDDEN
Packing Instruction (Passenger) FORBIDDEN	Maximum quantity FORBIDDEN

Further information The product is not classified as dangerous for carriage.

15. REGULATORY INFORMATION

Risk phrases NSH - No Significant Hazard.

Further information WGK = 1 (Kenn-Nr 6593)

16. OTHER INFORMATION

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

DR Fredrik Hopfgarten
ARIZONA CHEMICAL, P.O. box 66, S-820 22 SANDARNE, SWEDEN
Tel: +46 (0)270 625 00, Telefax: +46 (0)270 625 40