



SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Arizona Chemical Company  
P.O. Box 550850  
Jacksonville, FL 32255

24 Hour Emergency Assistance:  
Chemtrec: 800/424-9300  
Other Information: 800/733-1374

Product Name: UNI-REZ® 2646  
Chemical Identity: Trade Secret  
Generic Name: Fatty Acid Dimer-Based Polyamide Resin  
Chemical Family: Polyamide Resins  
CAS Number: Confidential (See Section 15).

SECTION 2 COMPOSITION/INFORMATION OF INGREDIENTS

	ACGIH TLV (ppm)	OSHA PEL (ppm)
Exposure Limit for Total Product	NE	NE

TLV = Threshold Limit Value  
PEL = Permissible Exposure Limit  
NE = Not Established

SECTION 3 HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Amber solid with a mild amine odor, in crushed or bead form.

1. **WARNING! WHEN PACKED IN MULTIWALL PAPER BAGS WITH A POLYETHYLENE OR FOIL INNER LINING, THE BAG, ON DISCHARGE OF CONTENTS, CAN ACCUMULATE ELECTROSTATIC CHARGES SUFFICIENT TO IGNITE FLAMMABLE OR COMBUSTIBLE VAPORS.**
2. **MAY FORM FLAMMABLE OR EXPLOSIVE DUST-AIR MIXTURES.**
3. **AVOID BREATHING DUST.**

POTENTIAL HEALTH EFFECTS:

EYE: Resin dust can cause mechanical irritation, but no other effects are known.

SKIN: Based on experience, no hazard is expected from routine handling.

---

---

**SECTION 3 HAZARDS IDENTIFICATION CONT'D**

---

---

INHALATION: Inhalation of molten resin vapor, fumes or dust may cause minor irritation of the respiratory tract. These vapors or fumes may cause sensitization and the development of an asthmatic reaction in certain sensitive individuals.

INGESTION: Not a probable route of entry into the body.

SUBCHRONIC EFFECTS (Target Organ Effects): No known effects.

CHRONIC EFFECTS: No known effects.

---

---

**SECTION 4 FIRST AID MEASURES**

---

---

EYE CONTACT: In case of contact, immediately flush eyes with plenty of water. Call a physician if signs of irritation appear.

SKIN CONTACT:

Solid Resin: As good industrial hygiene practice, at the end of each work shift, wash skin with plenty of soap and water.

Molten Resin: Cool the affected area with cold water, but do not attempt to remove the solidified resin from the skin. Consult a physician immediately for burn treatment.

INHALATION: Remove to fresh air, if effects occur from inhalation of molten resin vapor or fumes.

INGESTION: Emergency care should not be needed.

---

---

**SECTION 5 FIRE FIGHTING MEASURES**

---

---

Flash point: 271°C (520°F) (Cleveland Open Cup)  
Upper/lower flammable limits: Unknown  
Autoignition temperature: Unknown  
Flammability classification: Non-hazardous  
Flame propagation rate: Not applicable  
Extinguishing media: Water fog, foam, carbon dioxide or dry chemical.  
Special precautions: Toxic gases such as carbon monoxide may be released during fire. Use positive-pressure, self-contained breathing apparatus and full protective clothing.

Unusual Fire and Explosion

Hazards: When packed in multiwall paper bags with a polyethylene or foil inner lining, the bag, on discharge of contents, can accumulate electrostatic charges sufficient to ignite flammable or combustible vapors. See Handling (Section 7).

---

---

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

---

---

In a clean area, recover for reuse. Dispose of contaminated material.

---

---

**SECTION 7 HANDLING AND STORAGE**

---

---

Use adequate ventilation to avoid the accumulation of fumes or dust.

When the product is packaged in a multiwall paper bag with a polyethylene or foil inner lining, do not pour directly into or in the presence of a substance or mixture which emits flammable or combustible vapors. If using this product near flammables or combustibles, carefully follow either of the following precautions:

(1) (Preferred). In a separate area, empty contents of the bag into a grounded metal container. Then, before transferring contents into a receiver containing the flammable or combustible substance/mixture, make sure that the metal container, the receiver and all addition chutes/funnels have a good common ground.

-OR-

(2) Place or lay the bag in or on a well-grounded transfer container or chute. Before transferring the contents via the grounded container or chute to a receiver containing the flammable or combustible substance/mixture, make sure that the transfer container or chute and receiver have a good common ground.

---

---

**SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

---

**EYES:**

Solid Resin: Use safety glasses. An eye wash is recommended.

Molten Resin: Use chemical safety goggles. An eye wash is recommended.

**SKIN:**

Solid Resin: As good industrial hygiene practice, impervious (for example, nitrile) gloves are recommended.

Molten Resin: Heat-resistant gloves and other protective clothing should be worn to prevent body contact. A safety shower is recommended.

**INHALATION:**

Solid Resin: No respiratory protection is required.

Molten Resin: An air purifying respirator designed for organic vapors should provide adequate protection.

**ENGINEERING CONTROLS:** Use exhaust ventilation to remove molten resin vapor or fumes. In process operations capable of generating static electricity and/or dust clouds; grounding, venting and explosion relief provisions must be used.

=====  
**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**  
=====

Appearance/state: Amber solid  
Odor: Mild amine  
Ph: Not applicable  
Vapor Pressure: <0.001 mm Hg at 20°C (68°F)  
Vapor density: Not applicable  
Boiling point: Not applicable  
Melting point: 113-128°C  
Solubility in water: <0.1% at 25°C (77°F)  
Specific gravity: 0.97 at 25°C/25°C (water=1.00)  
Evaporation rate: Approx. 0 (n-BuAc=1)  
% Volatile by weight: 0

=====  
**SECTION 10 STABILITY AND REACTIVITY**  
=====

Chemical stability: Stable under normal temperatures and pressures.

Conditions to avoid: This product is not reactive with water.

Chemicals to avoid: None known.

Hazardous Polymerization: Will not occur under normal temperatures and pressures.

Hazardous Decomposition Products: Thermal decomposition products include toxic oxides of carbon.

=====  
**SECTION 11 TOXICOLOGICAL INFORMATION**  
=====

The total product is not on the International Agency for Research on Cancer (IARC) or National Toxicology Program (NTP) or OSHA lists of carcinogens or potential carcinogens.

TOXICITY DATA: The following data on test animals indicates that chemically similar products have low acute toxicity potential.

ROUTE-SPECIES	TEST	DOSAGE	UNITS	IRRITATION DATA
Oral-rat	LD50	>15	g/kg	No data available

OTHER: Molten resin can cause thermal burns.

=====  
**SECTION 12 ECOLOGICAL INFORMATION**  
=====

There is no data available for this product.

=====  
**SECTION 13 DISPOSAL CONSIDERATIONS**  
 =====

Dispose of waste by incineration or landfill in accordance with all local, state and federal regulations.

Resource Conservation and Recovery Act (RCRA): This product is not included in the lists of hazardous substances (40 CFR 261.33), nor does it exhibit the characteristics of hazardous waste (40 CFR 261.20-24).

 =====  
**SECTION 14 TRANSPORT INFORMATION**  
 =====

DOT - Department of Transportation Hazardous Materials Regulations

DOT Hazard Class: Not applicable  
 DOT Proper Shipping Name: Not applicable  
 Technical Name: Not applicable  
 DOT Identification Number: Not applicable  
 Surface Freight Classification: Plastic Synthetic

 =====  
**SECTION 15 REGULATORY INFORMATION**  
 =====

Toxic Substances Control Act (TSCA): This product is on the confidential TSCA Inventory under Accession Number 31733.

SARA, Title III, Section 313 (40 CFR 372): This product contains the following substances which are reportable under SARA Toxic Chemical Release Reporting Regulations:

Chemical Name	CAS #	Wt%
None		

SARA, Section 311/312 Hazard Classification: This product has the following hazard categories: None

New Jersey Worker and Community Right To Know Act: This product contains the following substances which appear on the Hazardous Substance List or are Trade Secret:

Chemical Name	CAS or NJTS#	Wt%
Trade Secret	NJT SRN-6983	100

Pennsylvania Worker and Community Right To Know Act: This product contains the following substances which appear on the Hazardous Substance List:

Chemical Name	CAS #	Wt%
None		

=====  
**SECTION 15 REGULATORY INFORMATION CONT'D**  
=====

Canadian WHMIS System: This product is not controlled under WHMIS.

International Inventory Status: This product is either listed or exempt from listing on the following inventories: Canada DSL, Europe EINECS and Philippines PICCS.

California Prop 65: This product does not contain any materials included on the California Proposition 65 list.

=====  
**SECTION 16 OTHER INFORMATION**  
=====

**Hazard Ratings:** NFPA 1 Health 1 Fire 0 Reactivity

**Revision Note:** Revision 11. Updated Sections 5, 9 and 15.

**Prepared by:** L.M. Krzywanska

**Title:** Product Regulatory Technologist

The information contained herein is based on data believed to be reliable, but is furnished without warranty or guaranty of any kind, and Arizona Chemical Company disclaims any liability incurred from the use or reliance upon the same.

END OF MSDS